



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

Saline Solution 500 mL

Report To:
Quantanova

Compound: Saline Solution
Quantity: 500 mL
Laboratory ID: V260811-34 002
Lot Number: RS-003-260729-A
Date Reported: 8/25/2026

Analysis	Method	Result
Percent Sodium Chloride	HPLC-UV/VIS	0.82% $\pm$ 0.18%
Sterility	USP <71>	Pass - Negative for Growth
Endotoxins	LAL	0.500 EU/Vial



Report By: Dustin Newman, Laboratory Director on 8/25/2026

Approved By: Tori Johnson, Operations Manager on 8/25/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.